

The logo features the words "Fuel Proof" in a bold, italicized sans-serif font. "Fuel" is orange and "Proof" is black. The text is set against a white background that is part of a larger orange and black graphic element.

Fuel Proof[®]

PRODUCT GUIDE

FUELSTORES WITH 3 POINT LINKAGE

FUELSTORES WITH 3 POINT LINKAGE SYSTEM

VERSATILE, SECURE AND SUPER TOUGH



ALL THE STRENGTH, SECURITY AND LONGEVITY OF OUR STANDARD DIESEL FUELSTORES, ADAPTED FOR 3 POINT LIFTING AND REINFORCED WITH GALVANISED PROTECTION TUBES



TANK CAN BE LIFTED AND MOVED EASILY BY ANY MACHINE WITH A 3 POINT LINKAGE



CENTRAL LIFTING EYE PROVIDES ADDITIONAL OPTION FOR LIFTING AND MOVING TANK

OVERVIEW

Available in 500, 1,000 and 1,500 litre volumes, our Fuelstores with galvanised 3 point linkage system give you the freedom to move your diesel tank quickly and easily, using any tractor or machinery with a 3 point linkage lift. This market-leading linkage system gives you radically increased efficiency and fuel tank flexibility, making these tough and versatile Fuelstores the ideal diesel tank for agricultural use.

KEY FEATURES

- ▶ Heavy duty 3 point linkage frame enables tank to be lifted and moved easily by any vehicle with a 3 point linkage
- ▶ Tank can also be lifted and moved using its forklift pockets, central lifting eye or 4 x side-mounted lifting eyes
- ▶ 110% bunded tank in accordance with current environmental regulations
- ▶ Steel frame provides additional protection to super-tough Fuelstore tank
- ▶ Secure lockable door with anti-vandal lock cover
- ▶ U.N. approved for transporting diesel on the highway
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
500 LITRE (110 GALLON)	✓	0111
1,000 LITRE (220 GALLON)	✓	0121
1,500 LITRE (330 GALLON)	✓	0131

FOR FUEL DISPENSING OPTIONS PLEASE SEE BELOW

FUELSTORES WITH 3 POINT LINKAGE SYSTEM

VERSATILE, SECURE AND SUPER TOUGH


TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
500 LITRE (110 GALLON)	1,327	1,534	1,509	550	985	6*	450	3	3
1,000 LITRE (220 GALLON)	1,577	1,654	1,706	695	1,565	6*	468	3	3
1,500 LITRE (330 GALLON)	2,078	1,706	1,654	799	2,185	6*	480	3	3

*Extended cabinet option is available if longer hose length is required



INNER TANK CONNECTIONS




STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016








020

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS010						
	GPI HP-100 HAND PUMP 2000-040		4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	
FS020						
	GPI HP-100 HAND PUMP 2000-040	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	

FUEL DISPENSING PACKAGES

12V PUMP OPTIONS

FUELSTORE



PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS050						
	12/24V 50L/MIN PUMP 2001-500		4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS060						
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS070						
	12/24V 50L/MIN PUMP 2001-500		4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040
FS080						
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040




PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS 130						
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS 140						
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS 150						
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
FS 160						
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040

FUEL DISPENSING PACKAGES

230V ELECTRIC PUMP OPTIONS

FUELSTORE

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS250						
	72L/MIN 230V PUMP 2020-080		4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS260						
	72L/MIN 230V PUMP 2020-080	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS340						
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS350						
	PETROL ENGINED PUMP 2030-020		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	

OPTIONAL EQUIPMENT

WATER FILTER / SOLAR PANEL

FUELSTORE


PACKAGE CODE	FILTER	
W TO BE FITTED IN ADDITION TO PARTICLE FILTER		
	2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383	

ITEM CODE	OPTIONAL EQUIPMENT	
2560-102		
	20W 12V SOLAR PANEL C/W CHARGE CONTROLLER AND MOUNTING BRACKET	

ITEM**CODE****EXTENDED CABINET ON FUELSTORES****5100-100****SPLIT COMPARTMENT ON FUELSTORES****5101-100**


**FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS**

**SHORTEST
LEAD TIME**



020

← ADDITIONAL 10 DAYS LEAD TIME →



010

040

060

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**




500

£100 charge per unit
*Customer must
provide RAL code*

BULK TANKS

← SHORTEST LEAD TIME →



020

060

010

040

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**



500

£100 charge per unit
*Customer must
provide RAL code*



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
EMAIL: SALES@FUELPROOF.CO.UK*