

PRODUCT GUIDEFORESTRY SPEC FUELSTORE

FORESTRY SPEC BUNDED FUELSTORES SUPER TOUGH DIESEL TANKS ADAPTED FOR USE IN FORESTRY & AGRICULTURE



1,000 AND 1,500 LITRE FUELSTORES WITH FORESTRY SPEC



ALL MODELS FEATURE LOCKABLE FUEL DISPENSING Cabinet with fold down door

GRAB HANDLE AND BASH GUARD



LOW GROUND PRESSURE SKID BASE



1,000 LITRE MODEL AVAILABLE WITH DRUM Storage Cabinet for Storing oil drums & Tools

OVERVIEW

Our forestry-spec bunded Fuelstores combine multiple industry-leading innovations, tailored specifically to forestry and its related applications. Constructed from steel throughout, these robust cylindrical units provide extremely secure diesel storage for use at forestry sites. Features include a heavy-duty grab handle with steel bash guard, for use with timber grabs, along with a low ground pressure galvanised steel skid base with integrated forklift pockets, a super-strong water-resistant design and even an optional drum store for expanded secure storage on-site (1,000 litre model only).

KEY FEATURES

- All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Galvanised steel base with low ground pressure design and forklift pockets
- Heavy-duty grab handle for lifting and moving tank with timber grabs
- Plastic protector tubes (optional) when lifting with harvesting head blades
- Bash guard provides additional protection to top of tank
- Lockable fuel dispensing cabinet with fold-down door and anti-vandal cover
- Optional drum storage cabinet with mesh floor & storage shelves (1,000L only)
- Available with a range of fuel dispensing equipment to suit your needs
- 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY /	' ITEM	U.N.	APPROVED	CODE
1,000 LITRE	(220 GALLON)		\checkmark	0124
1,000 LITRE	(220 GALLON)	WITH DRUM STORAGE CABINET	\checkmark	0125
1,500 LITRE	(330 GALLON)		\checkmark	0135
BLADE PROTE	CTOR TUBES*			2725-020

* Only required when tank is to be lifted/moved by machines with harvesting heads

FOR FUEL DISPENSING OPTIONS PLEASE SEE BELOW

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE Length (m)	CABINET DEPTH (MM)	STEEL THICKNESS Inner Tank (MM)	STEEL THICKNESS Outer Tank (MM)
1,000 LITRE (220 GALLON)	1,930	1,388	2,115	753	1,613	6	470	3 & 4	3 & 4
1,000 LITRE (220 GALLON) WITH DRUM STORAGE CABINET	2,430	1,388	2,115	900	1,740	6	510 / 510	3 & 4	3 & 4
1,500 LITRE (330 GALLON)	2,430	1,388	2,115	875	2,150	6	480	3 & 4	3 & 4





1,000 LITRE FORESTRY SPEC Bunded Fuelstore




1,000 LITRE FORESTRY SPEC BUNDED FUELSTORE WITH DRUM STORE (OPTIONAL)

STANDARD COLOUR:

ANTHRACITE GREY RAL7016 020

INNER TANK CONNECTIONS





FUEL DISPENSING PACKAGES HAND PUMP OPTIONS

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS010						
	GPI HP-100 HAND PUMP 2000-040		4M X ¾" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	
FS020						
	GPI HP-100 HAND PUMP 2000-040	3 DIGIT FLOW METER 2200-040	4M X ¾" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS050			2	J		
	12/24V 50L/MIN PUMP 2001-500		4M X ¾" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS060	E		2	J.		
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X ¾" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS070			0			
	12/24V 50L/MIN PUMP 2001-500		4M X ¾" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040
FS080				J		
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X ¾" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040



FUEL DISPENSING PACKAGES 12V ELECTRIC PUMP OPTIONS


PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS 130			0		CAL .	
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS 140			0		See 1	
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS 150						
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
FS 160						
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS250			2	U		
	72L/MIN 230V PUMP 2020-080		4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS260				J.		
	72L/MIN 230V PUMP 2020-080	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	




FUEL DISPENSING PACKAGES Petrol Engined Pump Options


PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS340					CH III	
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS350					A No.	
	PETROL ENGINED PUMP 2030-020		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	



ITEM CODE	OPTIONAL EQUIPMENT	
2560-102		
	20W 12V SOLAR PANEL C/W CHARGE CONTROLLER And Mounting Bracket	

COLOUR OPTIONS





100 charge per unit Customer must provide RAL code



Please Note: All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.



FUEL PROOF LTD MIDDLETON BUSINESS PARK MIDDLETON ROAD HEYSHAM LANCASHIRE LA3 3FH TEL: +44 [0] 1524 850685 WEB: WWW.FUELPROOF.CO.UK EMAIL: SALES@FUELPROOF.CO.UK