



2021 PRODUCT GUIDE
FORESTRY SPEC FUELSTORE

FORESTRY SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE IN FORESTRY & AGRICULTURE



1,000 AND 1,500 LITRE FUELSTORES WITH FORESTRY SPEC



ALL MODELS FEATURE LOCKABLE FUEL DISPENSING CABINET WITH FOLD DOWN DOOR



LOW GROUND PRESSURE SKID BASE



GRAB HANDLE AND BASH GUARD



1000 LITRE MODEL AVAILABLE WITH DRUM STORAGE CABINET FOR STORING OIL DRUMS, TOOLS ETC.

OVERVIEW

Our range of forestry specific bunded diesel tanks includes a host of innovative features tailored specifically to forestry and related applications. Constructed from steel throughout as with all Fuel Proof equipment, these units provide an extremely safe and secure solution for storing fuel. Features include a low ground pressure galvanised steel base with integral forklift pockets, heavy duty grab handle with steel bash guard, plus optional drum store (1000 litre model only).

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Galvanised steel base with low ground pressure design and forklift pockets
- ▶ Heavy duty grab handle for lifting and moving tank with timber grabs
- ▶ Plastic protector tubes (optional) when lifting with harvesting head blades
- ▶ Bash guard to provide additional protection to top of tank
- ▶ Lockable fuel dispensing cabinet with fold down door and anti-vandal cover
- ▶ Optional drum storage cabinet with mesh floor & storage shelves (1000L model only)
- ▶ Available with a range of dispensing equipment to suit your requirements
- ▶ 10 year warranty for peace of mind

PRODUCT CODES

CAPACITY / ITEM	UN APPROVED	CODE
1,000 LITRE (220 GALLON)	✓	0124
1,000 LITRE (220 GALLON) WITH DRUM STORAGE CABINET	✓	0125
1,500 LITRE (330 GALLON)	✓	0135
BLADE PROTECTOR TUBES*		2725-020

* Only required when tank is to be lifted/moved by machines with harvesting heads

FOR FUEL DISPENSING OPTIONS PLEASE SEE BELOW

FORESTRY SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE IN FORESTRY & AGRICULTURE

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,000 LITRE (220 GALLON)	1,930	1,388	2,115	1,250	2,110	6	470	3 & 4	3 & 4
1,000 LITRE (220 GALLON) WITH DRUM STORAGE CABINET	2,430	1,388	2,115	1,366	2,226	6	510 / 510	3 & 4	3 & 4
1,500 LITRE (330 GALLON)	2,430	1,388	2,115	1,400	2,260	6	480	3 & 4	3 & 4



1500 LITRE FORESTRY SPEC BUNDED FUELSTORE



1000 LITRE FORESTRY SPEC BUNDED FUELSTORE



1000 LITRE FORESTRY SPEC BUNDED FUELSTORE WITH DRUM STORE (OPTIONAL)


STANDARD COLOUR:

ANTHRACITE GREY

RAL7016

020

INNER TANK CONNECTIONS



PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER
FS010					
	GPI HP-100 HAND PUMP 2000-040	4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	
FS020					
	GPI HP-100 HAND PUMP 2000-040	4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	3 DIGIT FLOW METER 2200-040

FUEL DISPENSING PACKAGES

12V PUMP OPTIONS

FUELSTORE

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER	BATTERY AND CARRIER
FS050						
	12/24V 50L/MIN PUMP 2001-500	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020		
FS060						
	12/24V 50L/MIN PUMP 2001-500	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	3 DIGIT FLOW METER 2200-040	
FS070						
	12/24V 50L/MIN PUMP 2001-500	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020		12V BATTERY / CARRIER 2550-040
FS080						
	12/24V 50L/MIN PUMP 2001-500	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	3 DIGIT FLOW METER 2200-040	12V BATTERY / CARRIER 2550-040

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER	BATTERY AND CARRIER
FS 130						
	12V 85 LITRE/MIN PUMP 2010-100	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380		
FS 140						
	12V 85 LITRE/MIN PUMP 2010-100	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	
FS 160						
	12V 85 LITRE/MIN PUMP 2010-100	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	12V BATTERY / CARRIER 2550-040

FUEL DISPENSING PACKAGES

230V ELECTRIC PUMP OPTIONS

FUELSTORE

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER	BATTERY AND CARRIER
FS250						
	72L/MIN 230V PUMP 2020-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020		
FS260						
	72L/MIN 230V PUMP 2020-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	3 DIGIT FLOW METER 2200-040	

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER
FS340					
	PETROL ENGINED PUMP 2030-020	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040
FS350					
	PETROL ENGINED PUMP 2030-020	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	

OPTIONAL EQUIPMENT

WATER FILTER / SOLAR PANEL

FUELSTORE

PACKAGE CODE

FILTER

W

TO BE FITTED IN ADDITION TO
PARTICLE FILTER



2 MICRON WATER BLOCKING FILTER + FILTER HEAD
2300-375 / 2300-383

ITEM CODE

OPTIONAL EQUIPMENT

2560-102




20W 12V SOLAR PANEL C/W CHARGE CONTROLLER
AND MOUNTING BRACKET

COLOUR OPTIONS

**FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS**

**SHORTEST
LEAD TIME**



020

← **ADDITIONAL 10 DAYS LEAD TIME** →



010

040

060

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**




500

£100 charge per unit
*Customer must
provide RAL code*

BULK TANKS

← **SHORTEST LEAD TIME** →



020

060

010

040

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**



500

*Customer must
provide RAL code*

Please Note:

All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
FAX: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
E-MAIL: INFO@FUELPROOF.CO.UK*