

# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET



9.000 LITRE SITE TOW DIESEL BOWSER



4,500 LITRE SITE TOW DIESEL BOWSER



HEAVY-DUTY INTEGRAL STEEL CHASSIS BUILT FOR USE ON ROUGH TERRAIN



IMPROVED REAR LIGHTING



LARGE FLOTATION TYRES FOR OFF-ROAD USE, PLUS GALVANISED REFUELLING PLATFORM (6000 & 9000L)



FULL-HEIGHT CABINET ON ALL MODELS ALLOWS FOR EASY ACCESS TO FUEL DISPENSING EQUIPMENT

#### **OVERVIEW**

The Fuel Proof range of bunded site tow bowsers combines safe, secure fuel storage with excellent on-site mobility and superior structural strength. Both the inner and outer tanks are constructed from steel throughout, with a 110% bund capacity in accordance with Control of Pollution Regulations.

#### **KEY FEATURES**

- Fully compliant with current environmental regulations
- Steel tank and heavy-duty integral chassis make these units the strongest and most durable on the market
- Baffled inner tank ensuring excellent stability
- Full-height cabinet for access to dispensing equipment
- Galvanised refuelling platform (6,000 and 9,000 litre models)
- Manway for tank cleaning and inspection
- Heavy-duty running gear and steel mudguards
- Hydraulic brakes
- Improved LED rear lights and brighter LED work lights
- Shot-blasted to SA 2.5 and painted in 2-pack polyurethane finish
- 3-year tank warranty for peace of mind

#### PRODUCT CODES

CAPACITY		ACCESS PLATFORM	CODE
3,000 LITRE	(660 GALLON)	×	0440
<b>4,500 LITRE</b>	(1,000 GALLON)	×	0450
6,000 LITRE	(1,310 GALLON)	$\checkmark$	0460
9,000 LITRE	(1,978 GALLON)	$\checkmark$	0470

# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

#### **TECHNICAL DETAILS**

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE Length (M)	CABINET DEPTH (MM)	STEEL THICKNESS Inner Tank (MM)	STEEL THICKNESS Outer tank (MM)
3,000 LITRES (660 GALLONS)	4,639	2,202	2,313	1,759	4,287	12	886	3	4
<b>4,500 LITRES</b> [1,000 GALLONS]	5,589	2,383	2,535	2,754	6,665	12	793	5	4
<b>6,000 LITRES</b> [1,310 GALLONS]	5,935	2,700	2,712	3,380	8,516	30	991	5	5
9,000 LITRES (1,978 GALLONS)	6,733	2,738	2,713	4,167	11,902	30	1,001	5	5









#### TANK CONNECTIONS

- Rotary tank contents gauge
- 3" BSP fill point
- 2" BSP fill point
- 2" suction line with overfill

#### **STANDARD COLOUR:**



020

# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

### **FUEL DISPENSING PACKAGES**

PETROL ENGINED PUMP OPTIONS

PACKAGE CODE	PUMP	FLOW METER	HOSE / REEL	TRIGGER	FILTER	
ST010	120 L/MIN	Noon Street			CH C	
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST020	100 L/MIN	R-Flow 3				
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST030	150 L/MIN	10 90 gg			CALL TO THE PARTY OF THE PARTY	
	PETROL ENGINED PUMP 2030-020	4 DIGIT FLOW METER 2200-080	REEL WITH10M X 1½" HOSE 2500-140 / 2400-200	HIGH FLOW 1½" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	

# FUEL DISPENSING PACKAGES HYDRAULIC POWERED PUMP OPTIONS

# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
ST040	120 L/MIN	A-Flow3			FR2	
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST050	110 L/MIN	Er-Clow3			CHAIN	
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST060	150 L/MIN	0.000			CH III	
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	4 DIGIT FLOW METER 2200-080	REEL WITH10M X 1½" HOSE 2500-140 / 2400-200	HIGH FLOW 1½" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	

# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

**FUEL DISPENSING PACKAGES** 

DIESEL ENGINED PUMP OPTIONS

PACKAGE CODE	PUMP	FLOW METER	HOSE / REEL	TRIGGER	FILTER	BATTERY AND CARRIER
ST070	120 L/MIN	S-Flow3				Mr omarka.
	DIESEL ENGINED PUMP 2033-100	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
ST080	110 L/MIN	MOUD RAPIDED				SER OFFICIAL SERVICE S
	DIESEL ENGINED PUMP 2033-100	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
ST090	150 L/MIN	O PAGE			CA	Mr. onia MAS
	DIESEL ENGINED PUMP 2033-100	<b>4 DIGIT FLOW METER</b> 2200-080	REEL WITH10M X 1½" HOSE 2500-140 / 2400-200	HIGH FLOW 1½" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040

# OPTIONAL EQUIPMENT WATER FILTER OPTION


# SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

PACKAGE CODE	FILTER	
TO BE FITTED IN ADDITION TO PARTICLE FILTER		
	2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383	

#### **COLOUR OPTIONS**

FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS






## ADDITIONAL 14 DAYS LEAD TIME



**500 £100 charge per unit**Customer must
provide RAL code

**BULK TANKS** 



#### ADDITIONAL 14 DAYS LEAD TIME



£100 charge per unit Customer must provide RAL code

**Please Note:** All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.

# FUEL Proof

FUEL PROOF LTD MIDDLETON BUSINESS PARK MIDDLETON ROAD HEYSHAM LANCASHIRE

LA3 3FH

TEL: +44 (0) 1524 850685 WEB: WWW.FUELPROOF.CO.UK EMAIL: SALES@FUELPROOF.CO.UK