

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT



12.500 LITRE VERTICAL BULK DIESEL TANK



FULL-HEIGHT CABINET PROVIDES SECURE ACCESS TO DISPENSING EQUIPMENT AND TANK CONNECTIONS



INDUSTRY-LEADING 2-PACK PAINT FINISH PROVIDES SUPERIOR DURABILITY AND TANK PROTECTION

OVERVIEW

Vertical, cylindrical bulk diesel tanks in capacities from 5,200 to 18,000 litres, ideal for large-scale fuel storage where space on-site is limited. Heavy-duty double cylinder design with an all-steel construction, providing superior structural strength. Large fuel cabinet provides access to tank connections and dispensing equipment. Features fully bunded and pressure-tested inner tank, built in accordance with current environmental regulations.

KEY FEATURES

- All-steel construction for unbeatable strength and durability
- 110% bunded and fully compliant with current environmental regulations
- Available with advanced management systems for total fuel control
- Lockable steel door keeps tank connections safe and secure
- Vertical design provides high capacity with a small footprint, ideal when space is limited
- Large fuel dispensing cabinet for access to dispensing equipment
- Available with a range of dispensing systems to suit your needs
- 15-year tank warranty for peace of mind

PRODUCT CODES

| CAPACITY | CODE |
|-----------------------------------|------|
| 5,200 LITRE (1,140 GALLON) | 0212 |
| 10,000 LITRE (2,200 GALLON) | 0213 |
| 12,500 LITRE (2,750 GALLON) | 0214 |
| 18,000 LITRE (3,950 GALLON) | 0216 |

TECHNICAL DETAILS

| CAPACITY | LENGTH (MM) | WIDTH (MM) | HEIGHT (MM) | EMPTY WEIGHT (KG) | FULL WEIGHT (KG) | MAX. HOSE Length (M) | CABINET DEPTH (MM) | STEEL THICKNESS Inner Tank (MM) | STEEL THICKNESS OUTER TANK (MM) |
|-----------------------------------|----------------|---------------|----------------|----------------------|---------------------|-------------------------|-----------------------|------------------------------------|------------------------------------|
| 5,200 LITRE (1,140 GALLON) | 2,804 | 1,985 | 2,341 | 1,341 | 5,765 | 10 | 713 | 3 | 3 |
| 10,000 LITRE (2,200 GALLON) | 2,950 | 2,200 | 3,369 | 2,129 | 10,651 | 10 | 684 | 4 | 4 |
| 12,500 LITRE (2,750 GALLON) | 3,234 | 2,468 | 3,376 | 3,000 | 13,755 | 10 | 684 | 5 | 5 |
| 18,000 LITRE (3,950 GALLON) | 3,769 | 2,956 | 3,434 | 4,127 | 19,434 | 10 | 700 | 6 | 6 |



12,500 LITRE VERTICAL BULK DIESEL TANK







5,200 LITRE VERTICAL BULK DIESEL TANK With full-height fuel dispensing cabinet

STANDARD COLOURS:

ANTHRACITE GREY BRONZE GREEN

RAL7016 BS381C/224

020 060

TANK CONNECTIONS

- Rotary tank contents gauge
- 2" BSP fill point with overfill prevention valve
- ▶ 1½" suction line dip tube

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

FUEL DISPENSING PACKAGES 230V FUEL DISPENSING SYSTEM OPTIONS

| PACKAGE CODE | DISPENSING SYSTEM | HOSE / REEL | TRIGGER | FILTER | ELECTRICAL CONNECTION | |
|--------------|-------------------------------|------------------------------------|-----------------------------------|--|---|--|
| BV090 | | | | | | |
| | CUBE 70L/MIN 230V 2070-080 | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 | |
| BV 100 | | | | CAL STATE OF THE S | | |
| | CUBE 70L/MIN 230V 2070-080 | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 | |
| BV 130 | | | To the second | S.A. | | |
| | CUBE 70L/MIN 230V 2070-080 | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-025 | |
| BV 140 | | | | CHAIN | | |
| | CUBE 70L/MIN 230V 2070-080 | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-025 | |

FUEL DISPENSING PACKAGES 230V FUEL DISPENSING SYSTEM OPTIONS

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

| PACKAGE CODE | DISPENSING SYSTEM | FLOW METER | HOSE / REEL | TRIGGER | FILTER | ELECTRICAL CONNECTION |
|--------------|-------------------------------------|--------------------------------|------------------------------------|------------------------------------|---------------------------------------|---|
| BV150 | | TOO TOO TO | | | CH | |
| | PIUSI E120 90L/MIN 230V 2020-200 | 4 DIGIT FLOW METER 2200-080 | 4M X 1" DIESEL HOSE 2400-295 | HIGH FLOW AUTO TRIGGER 2150-122 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV160 | | To go and | | | CA | |
| | PIUSI E120 90L/MIN 230V 2020-200 | 4 DIGIT FLOW METER 2200-080 | REEL WITH 8M X 1" HOSE 2500-092 | HIGH FLOW AUTO TRIGGER 2150-122 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV170 | | TOO GOD | | | CAL | |
| | PIUSI E120 90L/MIN 230V 2020-200 | 4 DIGIT FLOW METER 2200-080 | 4M X 1" DIESEL HOSE 2400-295 | HIGH FLOW AUTO TRIGGER 2150-122 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-025 |
| BV180 | | To go de | | | CALL | |
| | PIUSI E120 90L/MIN 230V 2020-200 | 4 DIGIT FLOW METER 2200-080 | REEL WITH 8M X 1" HOSE 2500-092 | HIGH FLOW AUTO TRIGGER 2150-122 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-025 |

FUEL MANAGEMENT – TAG SYSTEM TAKE FULL CONTROL OF YOUR FUEL TANK USE



PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK



PIUSI FUEL MANAGEMENT SYSTEM



SOFTWARE PACKAGE (DOWNLOAD OR USB)



USER KEY TAGS



PC KEY READER

KEY FEATURES

- Limits pump access to users with a key tag or PIN code (if purchased)
- Records transaction data including user, date, time and fuel quantity
- One-time purchase no subscription fee
- Provides access for up to 50 or 120 users (depending on model)
- Pump start/stop and pre-set dispense features
- Local unit memory records the last 255 fuel tank interactions
- Option to record vehicle registration number and odometer readings
- Available in 12V / 24V / 230V
- Easy and direct system setup at the unit itself
- Software package allows data to be exported to a local PC or laptop

ABOUT THE PIUSI CUBE 70MC

Gain full oversight of your team's fuel usage with the Piusi Cube 70MC. This advanced fuel management system is a compact diesel dispenser and monitoring unit, which ensures fast and precise dispensing only by authorised personnel.

The Cube 70MC gives you market-leading fuel security, allowing only authorised users with a key tag or PIN code to access the contents of your bunded fuel tank. The unit comes complete with nozzle holder, internal diesel transfer pump, motor and electronic meter, which records the date, time and amount of fuel dispensed for the past 255 interactions.

This system provides fuel access and tank usage data for up to 50 users as standard, with optional access for up to 120 users depending on the model installed. View all usage data on-screen at the unit itself, or export data to a local laptop or PC via the unit's software package, available to download or on USB.



FUEL MANAGEMENT - BLUETOOTH SYSTEM

TAKE FULL CONTROL OF YOUR FUEL TANK USE

DOWNLOAD THE APP:







TWIN PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK









MANAGEMENT PORTAL



DRIVER APP SCREENS

KEY FEATURES

- Dispense fuel securely via Bluetooth connection with driver's mobile device
- Online portal allows you to monitor real-time fuel use
- Ability to export reports into .pdf or .xlsx files
- No need to visit fuel tanks on-site or compile multiple separate reports
- Records usage data including date, driver, vehicle and fuel quantity
- ▶ One-time purchase no ongoing fees to use the software
- Includes 10 or 20 driver app licences (more on request)
- For use with diesel, gasoil and AdBlue storage tanks
- Available in 12V / 24V / 230V

ABOUT THE PIUSI B.SMART SYSTEM

The Piusi MC Box B.SMART is a cloud-based add-on fuel monitoring unit, designed to give you or your fleet manager real-time online data about your fuel use – including each driver, vehicle, fuel quantity dispensed, and when.

Piusi B.SMART uses a licenced app on the driver's Android or iOS mobile device to activate fuel dispensing via Bluetooth connection. Once complete, each fuelling transaction is recorded and sent via network connection to the cloud. This allows for real-time monitoring of multiple fuel or AdBlue dispensers across unlimited locations — all of which is accessible with a user-friendly web portal for PC, tablet or smartphone.

OPTIONAL UPGRADES

| UPGRADE | FEATURES |
|----------------------|--|
| WATCHDOG MODULE | REAL-TIME TANK LEVEL MONITORING; LOW TANK LEVEL ALARM; REAL-TIME INVENTORY VALUATION; SUPPLIER & DELIVERY MANAGEMENT |
| FUEL ECONOMY UPGRADE | REMOTELY MONITOR CONSUMPTION; SET CONSUMPTION LIMITS; GENERATE REPORTS BY DRIVER/VEHICLE; ADD/CHECK/MANAGE REFUELLINGS |
| EXTRA APP LICENCES | PRE-SET FUEL DISPENSING VOLUME OR SET TO FILL; DATA RECORDING; RECORD VEHICLE MILEAGE UPON FILLING |

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

FUEL DISPENSING PACKAGES 230V FUEL MANAGEMENT SYSTEM OPTIONS

| PACKAGE CODE | MANAGEMENT SYSTEM | HOSE / REEL | TRIGGER | FILTER | ELECTRICAL CONNECTION |
|--------------|---|------------------------------------|--|---------------------------------------|---|
| BV330* | | | The state of the s | CALL | |
| | CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, Software (download*) & Key Reader - 2070-100 | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV340* | | | | CHAIN | |
| | CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, Software (download*) & Key Reader - 2070-100 | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV370* | | | To the second | CH III | |
| | CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, Software (download*) & Key Reader - 2070-100 | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-021 |
| BV380* | | | | CH. III | |
| | CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, Software (download*) & Key Reader - 2070-100 | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-021 |

^{*}Cube 70MC software also available on USB drive (£POA)

FUEL DISPENSING PACKAGES 230V FUEL MANAGEMENT SYSTEM OPTIONS

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

| PACKAGE CODE | PUMP | MANAGEMENT SYSTEM | HOSE / REEL | TRIGGER | FILTER | ELECTRICAL CONNECTION |
|--------------|-------------------------------|--|------------------------------------|--|---------------------------------------|---|
| BV330BS | | PUS O MARIE TO THE POST OF TH | | | CALL | |
| | 72L/MIN 230V PUMP 2020-080 | PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 Driver APP Licences | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV340BS | | PIUS Canar | (68 | The state of the s | CALL | |
| | 72L/MIN 230V PUMP 2020-080 | PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 driver app licences | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL WITH OCIO GAUGE 2570-040 |
| BV370BS | | PIUS G assure | | | CALL | |
| | 72L/MIN 230V PUMP 2020-080 | PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 Driver APP Licences | 4M X 1" DIESEL HOSE 2400-295 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-021 |
| BV380BS | | | | | SA | |
| | 72L/MIN 230V PUMP 2020-080 | PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 Driver APP Licences | REEL WITH 8M X 1" HOSE 2500-092 | AUTO SHUT-OFF TRIGGER 2150-100 | HIGH FLOW PARTICLE FILTER 2300-380 | MAINS PANEL + OCIO + ALARM 2591-021 |

Note: B.SMART fuel management packages include K600/3 Pulsar

BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

OPTIONAL EQUIPMENT WATER FILTER OPTION

| PACKAGE CODE | FILTER | |
|---|---|--|
| TO BE FITTED IN ADDITION TO PARTICLE FILTER | | |
| | 2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383 | |

OPTIONAL EQUIPMENT / ACCESSORIES FUEL PROOF TANK PACK / FUEL MANAGEMENT SYSTEM ACCESSORIES


BULK DIESEL TANKS - VERTICAL BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

| ITEM CODE | OPTIONAL EQUIPMENT | |
|-----------|---|--|
| 2981-020 | SPILL KIT real Front | |
| | FUEL PROOF TANK PACK FOR BULK DIESEL TANKS: 45 Litre spill kit, 6kg fire extinguisher & glove park | |
| 2071-100 | | |
| | MANAGER KEY FOR PIUSI CUBE 70MC SYSTEM | |
| 2071-080 | | |
| | PACK OF 10 USER KEYS FOR PIUSI CUBE 70MC SYSTEM | |

COLOUR OPTIONS

FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS






ADDITIONAL 14 DAYS LEAD TIME



500 £100 charge per unitCustomer must
provide RAL code

BULK TANKS



ADDITIONAL 14 DAYS LEAD TIME



£100 charge per unit Customer must provide RAL code

Please Note: All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.

FUEL Proof

FUEL PROOF LTD MIDDLETON BUSINESS PARK MIDDLETON ROAD HEYSHAM LANCASHIRE

LA3 3FH

TEL: +44 (0) 1524 850685 WEB: WWW.FUELPROOF.CO.UK EMAIL: SALES@FUELPROOF.CO.UK