

The logo features the words "Fuel Proof" in a bold, italicized sans-serif font. "Fuel" is orange and "Proof" is black. The text is set against a white background that is part of a larger orange and black graphic element.

Fuel Proof[®]

PRODUCT GUIDE

WASTE OIL SPEC BUNDED FUELSTORES

WASTE OIL SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE WITH WASTE OIL



1,000 AND 1,500 LITRE WASTE OIL SPEC BUNDED FUELSTORES




CYLINDRICAL DESIGN RESISTS SURFACE WATER



SAFE STEP ACCESS POINT TO MANWAY FILLING POINT



MANWAY FILLING POINT WITH SECURING POINTS AS STANDARD



ALL MODELS AVAILABLE WITH MESH STRAINER SYSTEM TO PREVENT OBJECTS ENTERING TANK

OVERVIEW

With waste oil disposal, safety and security are paramount. Our industry-leading waste oil Fuelstores are fully bunded and constructed in cylindrical steel, giving you the strongest and most durable solution on the market for secure waste oil storage. Features include a galvanised steel base with integrated forklift pockets, a manway access point with steel securing pegs, a mesh strainer system to prevent objects from entering the tank, plus a safe-access folding step and bund drain access point.

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Galvanised steel base with forklift pockets for easy lifting and movement
- ▶ Manway access pouring point with safe-access step system
- ▶ Lockable manway access point with mesh strainer
- ▶ Optional bund alarm available on request
- ▶ Oil transfer pump kit available on request
- ▶ 3-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
1,400 LITRE (308 GALLON)	✓	0910
2,500 LITRE (550 GALLON)	✓	0915

WASTE OIL SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE WITH WASTE OIL

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,400 LITRE (308 GALLON)	2,087	1,309	1,607	597	1,894	N/A	N/A	3 & 4	3 & 4
2,500 LITRE (550 GALLON)	2,597	1,489	1,812	913	3,029	N/A	N/A	3 & 4	3 & 4



1,400 LITRE WASTE OIL SPEC BUNDED FUELSTORE

STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020



2,500 LITRE WASTE OIL SPEC BUNDED FUELSTORE

COLOUR OPTIONS


**FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS**

**SHORTEST
LEAD TIME**



020

← ADDITIONAL 10 DAYS LEAD TIME →



010

040

060

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**




500

£100 charge per unit
*Customer must
provide RAL code*

BULK TANKS

← SHORTEST LEAD TIME →



020

060

010

040

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**



500

£100 charge per unit
*Customer must
provide RAL code*



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
EMAIL: SALES@FUELPROOF.CO.UK*